

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

1. Identification of the substance/mixture and of the company/undertaking

Product information

Product name : Klüberplex BE 31-222

Article-No. : 017132

Use of the Substance/Mixture : Grease

Company : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address : mcm@klueber.com
Material Compliance Management

National contact : KLÜBER LUBRICATION ARGENTINA S.A.
Martin J. Haedo 4301 / 63
B1604CXO Florida - Buenos Aires
Argentina
Teléfono: +54.11.4709 8400
Fax: +54.11.4709 8430
ventas@ar.klueber.com

Emergency telephone number : +54 11 5984 3690
+49 89 7876 700 (24 hrs)

2. Hazards identification

GHS Classification

Not a hazardous substance or mixture.

GHS-Labeling

Not a hazardous substance or mixture.

3. Composition/information on ingredients

Chemical nature : Mineral oil.
special calcium soap

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

Hazardous components

Chemical name	CAS-No.	Concentration[%]
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	50 - 70
Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide	1282612-32-1	20 - 30
2,5-bis(tert-dodecylthio)-1,3,4-thiadiazole	59656-20-1	1 - 2,5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	1 - 2,5

4. First aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
Wash off with soap and water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
Do not induce vomiting without medical advice.

Notes to physician

- Symptoms : No information available.
- Risks : None known.
- Treatment : No information available.

5. Firefighting measures

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Nitrogen oxides (NOx)
Sulphur oxides
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.

6. Accidental release measures

- Personal precautions : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.
- Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.

Storage

- Requirements for storage areas and containers : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

8. Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	CMP	5 mg/m3	2003-11-21	AR OEL
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	CMP - CPT	10 mg/m3	2003-11-21	AR OEL

Engineering measures

none

Personal protective equipment

- Respiratory protection : Not required; except in case of aerosol formation.
Filter type P

- Hand protection : Nitrile rubber
Manufacturer, importer, supplier: Class 1
Break through time: > 10 min
For prolonged or repeated contact use protective gloves.
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

- Eye protection : Tightly fitting safety goggles

- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

9. Physical and chemical properties

Appearance

Form	: paste
Colour	: beige
Odour	: characteristic

Safety data

Flash point	: Note: Not applicable
Ignition temperature	: Remarks: No data available
Lower explosion limit	: Note: No data available
Upper explosion limit	: Note: No data available
Flammability (solid, gas)	: Combustible Solids
Oxidizing properties	: Note: No data available
Auto-ignition temperature	: Note: No data available
pH	: Note: No data available
Melting point/range	: Note: No data available
Boiling point/boiling range	: Note: No data available
Sublimation point	: Note: No data available
Vapour pressure	: < 0,01 hPa at 20 °C
Density	: 0,96 g/cm ³ at 20 °C
Bulk density	: Note: No data available
Water solubility	: Note: insoluble
Partition coefficient: n-octanol/water	: Note: No data available
Solubility in other solvents	: Note: No data available
Viscosity, dynamic	: Note: No data available
Viscosity, kinematic	: Note: No data available

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

Relative vapour density : Note: No data available

Evaporation rate : Note: No data available

10. Stability and reactivity

Conditions to avoid : No conditions to be specially mentioned.

Materials to avoid : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

Thermal decomposition : Note: No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Acute oral toxicity

Distillates (petroleum), hydrotreated heavy paraffinic : LD50: > 5.000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide : LD50: > 2.000 mg/kg
Species: Rat
Method: Directive 67/548/EEC, Annex V, B.1.

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole : LD50: > 5.000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene : LD50: > 5.000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity

Distillates (petroleum), hydrotreated heavy paraffinic : LD50: > 5.000 mg/kg
Species: Rabbit
Method: OECD Test Guideline 402

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide : LD50: > 2.000 mg/kg
Species: Rat
Method: OECD Test Guideline 402

2,5-bis(tert-dodecyldithio)- : LD50: > 2.000 mg/kg

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

1,3,4-thiadiazole
Species: Rat
Method: OECD Test Guideline 402
Remarks: Information given is based on data obtained from similar substances.

Benzenamine, N-phenyl-,
reaction products with 2,4,4-
trimethylpentene : LD50: > 2.000 mg/kg
Species: Rat
Method: OECD Test Guideline 402

Skin corrosion/irritation

Skin irritation : Remarks: This information is not available.

Serious eye damage/eye irritation

Eye irritation : Remarks: This information is not available.

Respiratory or skin sensitisation

Sensitisation : Remarks: This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity

Remarks
2,5-bis(tert-dodecyldithio)-
1,3,4-thiadiazole : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Remarks
Distillates (petroleum),
hydrotreated heavy paraffinic : Not classifiable as a human carcinogen.

2,5-bis(tert-dodecyldithio)-
1,3,4-thiadiazole : Not classifiable as a human carcinogen.

Teratogenicity

Remarks

Teratogenicity

Distillates (petroleum),
hydrotreated heavy paraffinic : No toxicity to reproduction

2,5-bis(tert-dodecyldithio)-
1,3,4-thiadiazole : Animal testing did not show any effects on foetal development.

No toxicity to reproduction

Target Organ Systemic Toxicant - Single exposure

2,5-bis(tert-dodecyldithio)-
1,3,4-thiadiazole : Remarks: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

Target Organ Systemic Toxicant - Repeated exposure

: This information is not available.

Target Organ Systemic Toxicant - Repeated exposure

2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole : Remarks: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Aspiration toxicity : This information is not available.

Further information : Information given is based on data on the components and the toxicology of similar products.

12. Ecological information

Ecotoxicity effects

Toxicity to fish :
Remarks:
No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks:
No data available

Toxicity to algae : Remarks:
No data available

Toxicity to bacteria : Remarks:
No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)
Distillates (petroleum), hydrotreated heavy paraffinic : NOEC: 10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
semi-static test
Method: OECD Test Guideline 211

Elimination information (persistence and degradability)

Bioaccumulation : Remarks:
This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Mobility : Remarks:
No data available

Distribution among environmental compartments : Remarks:
No data available

Biodegradability : Remarks:
No data available

Physico-chemical removability : Remarks:
No data available

Further information on ecology

Short-term (acute) aquatic hazard
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole : Harmful to aquatic life.
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

Long-term (chronic) aquatic hazard
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole : Harmful to aquatic life with long lasting effects.
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene : This product has no known ecotoxicological effects.
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole :
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole :
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :
2,5-bis(tert-dodecyldithio)-1,3,4-thiadiazole :
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

Results of PBT assessment
Distillates (petroleum), : Non-classified vPvB substance, Non-classified PBT substance

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

hydrotreated heavy paraffinic
Additional ecological
information

: No information on ecology is available.

13. Disposal considerations

- Product : The product should not be allowed to enter drains, water courses or the soil.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

14. Transport information

ADR

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

Other information : No special precautions required.

15. Regulatory information

16. Other information

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Klüberplex BE 31-222

Version 1.6

Revision Date 06.07.2020

Print Date 06.07.2021

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.
